

Rapporto/Report No. K 3007 2021 B4

Decreto 7 Novembre 2017, n. 186
Certificazione ambientale del generatore di
calore

Types:
PF 721 V2

Produttore / Manufacturer:
JOTUL FRANCE SAS



This accreditation is valid only for the listed standards as stated in the accreditation annex of D-PL-11120-04-00

This report may only be published and forwarded to third parties in its complete, unabridged form. The publication or dissemination of extracts, summaries, appraisals or any other adaptation and alterations, in particular for advertising purposes, is only permissible with the prior written permission of TÜV Rheinland.
Publication of page 2 is permitted.

The test results presented in this report refer solely to the test object stated as described on page 2. The report does not represent a general statement about the serial production of the test object and gives not an authorization for use of a TÜV Rheinland test- / certification mark.

Decreto 7 Novembre 2017, n. 186
Certificazione ambientale del generatore di calore

Produttore / <i>Manufacturer:</i>	JOTUL FRANCE SAS 3, chemin du jubin F-69574 Dardilly Cedex
Tipo / <i>Type:</i>	PF 721 V2
Potenza termica nominale / <i>Nominal heat output:</i>	7,0 kW
Tipologia prodotti / <i>Product types:</i>	Stufe a pellets di legna / Wood pellet stoves
Norma di riferimento / <i>Reference standard:</i>	EN 14785:2006
Ente Notificato CPR/ Notified body acc. CPR	NB 2456
Rapporto di Prova di riferimento / <i>Reference test report:</i>	K30072021Z1
Combustibile di prova / <i>Test fuel:</i>	Pellet di legna / Wood pellet

Cologne, 29.10.2021
432 / pom

TÜV Rheinland Energy GmbH
Test Centre for Energy Appliances
NB 2456 (CPR)
DIN EN ISO/IEC 17025:2005
accreditation: D-PL-11120-04-00

Assessor:

Report released after review:



Dipl.-Ing. A. Pomp

Dipl.-Ing. M. Reimbold

Prestazioni del generatore di calore Performances of the heating appliance Classi di prestazione / Performance class				
	PF 721 V2			
PP ⁽¹⁾ mg/Nm ³	9 (5*)			
COT ⁽¹⁾ mg/Nm ³	1 (5*)			
NOx ⁽¹⁾ mg/Nm ³	131 (4*)			
CO ⁽²⁾ mg/Nm ³	26 (5*)			
η ⁽²⁾ %	89,0 (5*)			
Result / Class	4 stelle / 4 stars			
(1) Determinato applicando il metodo di misura della UNI CEN/TS 15883 Determined applying the measurement method of the UNI CEN/TS 15883 (2) Determinato secondo la EN 14785:2006 Determined according to EN 14785:2006 Nota: tutti i valori di concentrazione calcolati al 13% di O₂ in condizioni normali (273 K, 1013 mbar, gas secco) Note: all the concentration values are calculated at 13% of O₂ in normal conditions (273 K, 1013 mbar, dry gas)				
Limit Values				
	5 stelle	4 stelle	3 stelle	2 stelle
PP ⁽¹⁾ mg/Nm ³	15	20	30	50
COT ⁽¹⁾ mg/Nm ³	10	35	50	80
NOx ⁽¹⁾ mg/Nm ³	100	160	200	200
CO ⁽²⁾ mg/Nm ³	250	250	364	500
η ⁽²⁾ %	88	87	85	85