










XX YY Position number  
Quantity


Position number:  
143 UK - only for United Kingdom

Exploded view, Jøtul I 520 F - cat. no 30044743

Jøtul AS  
Fredrikstad, Norway

Draw.no: Sheet 3/6  
900136-P04

Date:  
04.11.2019



XX Position number  
YY Quantity



Position number:  
143 UK - only for United Kingdom

Exploded view, Jøtul I 520 F - cat. no 30044743

Jøtul AS  
Fredrikstad, Norway

Draw.no: Sheet 4/6  
900136-P04

Date:  
04.11.2019



XX  
 YY


Position number  
 Quantity

Exploded view, Jøtul I 520 F - optional equipment

Jøtul AS  
 Fredrikstad, Norway

Draw.no: Sheet 5/6  
 900136-P04

Date:  
 04.11.2019



103

50051746 Cassette grid - Jøtul I 520 F / FR / FL

Cassette grid for units produced from January 2018  
Kassettgitter for enheter produsert etter januar 2018



Position number  
Quantity

Exploded view, Jøtul I 520 F - optional equipment

Jøtul AS  
Fredrikstad, Norway

Draw.no: Sheet 6/6  
900136-P04

Date:  
04.11.2019

# Jøtul I 520 konseptet

**Jøtul I 520 F BP cat no 30044743, Jøtul I 520 FL BP cat no 30044744, Jøtul I 520 FR BP cat no 30044745, Jøtul I 520 FRL BP cat no 30044746**  
**BP= Sort lakk/Black Paint**

| <i>Pos. no.</i> | <i>Spareparts</i> | <i>Consist of pos.no:</i> | <i>Benevnelse</i>                   | <i>Description</i>                   | <i>Dim./Spec.</i>           |
|-----------------|-------------------|---------------------------|-------------------------------------|--------------------------------------|-----------------------------|
|                 |                   |                           | <b>Felles deler</b>                 |                                      |                             |
| 1               | 12044799          |                           | Stuss uteluft Ø80/100               | Inlet Air Ø80/100                    | Cast Iron min 4mm thickness |
| 2               | 12044952          |                           | Bunnplate                           | Bottom Plate                         | Cast Iron min 4mm thickness |
| 3               | 12044953          |                           | Bakplate                            | Rear Plate                           | Cast Iron min 4mm thickness |
| 4               | 12044954          |                           | Topplate Pre. Feb. 2018 Utgått      | Top Plate Pre. Feb 2018 discontinued | Cast Iron min 4mm thickness |
| 4               | 12052982          |                           | TOPPLATE MED KLIPS I520 ny Feb.2018 | Top Plate with clip New Feb. 2018    | Cast Iron min 4mm thickness |
| 5               | 12044980          |                           | Sidestykke                          | Side Plate                           | Cast Iron min 4mm thickness |
| 6               |                   |                           |                                     |                                      |                             |
| 7               | 12044824          |                           | Dør                                 | Door                                 | Cast Iron min 4mm thickness |
| 8               | 12044959          |                           | Spylebrem                           | Flushing Brim                        | Cast Iron min 4mm thickness |
| 9               | 12044960          |                           | Brennplate bakre                    | Burn Plate Rear                      | Cast Iron min 4mm thickness |
| 10              |                   |                           |                                     |                                      |                             |
| 11              |                   |                           |                                     |                                      |                             |
| 12              | 12044963          |                           | Ledeplate                           | Deflector                            | Cast Iron min 4mm thickness |
| 13              | 12044964          |                           | Fyrbunn                             | Inner Bottom                         | Cast Iron min 4mm thickness |
| 14              | 12044965          |                           | Røkkloke                            | Flue Outlet                          | Cast Iron min 4mm thickness |
| 15              | 12044966          |                           | Bunndeksel                          | Bottom Lid                           | Cast Iron min 4mm thickness |
| 16              | 12044967          |                           | Bakdeksel                           | Rear Cover                           | Cast Iron min 4mm thickness |
| 17              | 12044968          |                           | Dørlist                             | Door List                            | Cast Iron min 4mm thickness |
| 18              | 12044969          |                           | Luftkanal høyre                     | Air Channel Right                    | Cast Iron min 4mm thickness |
| 19              | 12044970          |                           | Luftkanal venstre                   | Air Channel Left                     | Cast Iron min 4mm thickness |
| 20              | 12044977          |                           | Ramme topp/bunn                     | Frame Topp / Bottom                  | Cast Iron min 4mm thickness |
| 21              |                   |                           |                                     |                                      |                             |
| 22              | 12067373          |                           | Kubbestopper                        | Log Retainer                         | Cast Iron min 4mm thickness |
| 23              | 12044975          |                           | Luftkanal fyrbunn                   | Air Distributor Bottom               | Cast Iron min 4mm thickness |
| 24              | 12044855          |                           | Lokk uteluft Ø80/100                | Lid Air Ø80/100                      | Cast Iron min 4mm thickness |
| 25              |                   |                           |                                     |                                      |                             |
| 26              | 10051708          |                           | RAMMEFESTE I 520/620                | Frame clip I520/I620                 |                             |
|                 |                   |                           |                                     |                                      |                             |
|                 |                   |                           |                                     |                                      |                             |
| 29              | 10045737          |                           | Skjermplate topp                    | Heat Shield Top                      | Aluzinc DX51D AZ            |
| 30              | 12044981          |                           | Dør komplett                        | Door Complete                        | Cast Iron min 4mm thickness |
| 31              | 10038449          |                           | Skjermplate bakre                   | Heatshild Rear                       | Aluzinc DX51D AZ            |
|                 |                   |                           |                                     |                                      |                             |
|                 |                   |                           |                                     |                                      |                             |
| 34              | 10038459          |                           | Ventil opptenning komplett          | Valve Ignition Complete              | Steel                       |
| 35              | 10038460          |                           | Ventil primærluft komplett          | Valve Primary Air Complete           | Steel                       |
| 36              | 10038463          |                           | Glass dør                           | Glas Door                            | Ceramic glass 4mm           |
| 37              | 10038474          |                           | Dørhengsel komplett                 | Door Hinge Complete                  | Steel                       |
| 38              | 10038478          |                           | Dørlås komplett høyre               | Door Lock Complete Right             | Steel                       |
| 39              | 10038480          |                           | Dørhåndtak komplett høyre           | Door Handle Complete Right           | Steel                       |
| 40              | 10038490          |                           | Beslag dørlås                       | Bracket Door Lock                    | Steel                       |
| 41              | 10038499          |                           | Hvelv                               | Baffle                               | Vermiculite                 |
| 42              | 10038553          |                           | Hvelvlås                            | Baffle Lock                          | Stainless AISI 316          |
| 43              | 10038555          |                           | Ventilhåndtak opptenning            | Valve Handele Ignition               | Steel                       |
| 44              | 10038557          |                           | Ventilhåndtak primærluft            | Velve Handle Primary Air             | Steel                       |
| 45              | 10038560          |                           | Isol. matte fyrbunn                 | Insul. Blanket Base Plate            | Superwool                   |
| 46              | 10038561          |                           | Isol. matte bak                     | Insul. Blanket Rear                  | Superwool                   |

# Jøtul I 520 konseptet

**Jøtul I 520 F BP cat no 30044743, Jøtul I 520 FL BP cat no 30044744, Jøtul I 520 FR BP cat no 30044745, Jøtul I 520 FRL BP cat no 30044746**  
**BP= Sort lakk/Black Paint**

| <i>Pos. no.</i> | <i>Spareparts</i> | <i>Consist of pos.no:</i> | <i>Benevnelse</i>                            | <i>Description</i>                              | <i>Dim./Spec.</i>           |
|-----------------|-------------------|---------------------------|----------------------------------------------|-------------------------------------------------|-----------------------------|
| 47              |                   |                           |                                              |                                                 |                             |
| 48              |                   |                           |                                              |                                                 |                             |
| 49              | 10038550          |                           | Skjermplate forlenger                        | Heatshield Extention                            | Aluzinc DX51D AZ            |
| 50              | 10026601          |                           | Glassklips I570 25X18                        | Glass Clip I570 25X18                           | Stainless Steel             |
| 51              | 10023544          |                           | 6kt skr m/fl M6x10 DIN6921 8.8               | Hex Fl Bolt DIN6921-M6x10-8.8                   | Steel                       |
| 52              | 10023561          |                           | Skrue sylh innv6k DIN7984 M6x8-8.8           | Hex Socket Head Cap Screw DIN7984 M6x8-8.8      | Steel                       |
| 53              | 10023576          |                           | Skrue sett M6x25 DIN916                      | Threadpin M6x25 DIN916                          | Steel                       |
| 54              | 10023586          |                           | Skrue senkh innv6k DIN7991 M6x12-10.9        | Flat Head Countersunk Socket DIN7991 M6x12-10.9 | Steel                       |
| 55              | 10023662          |                           | 6kt skr m/fl M8x20 DIN6921 8.8               | Hex Fl Bolt DIN6921-M8x20-8.8                   | Steel                       |
| 56              | 10023663          |                           | 6kt skr m/fl M8x25 DIN6921 8.8               | Hex Fl Bolt DIN6921-M8x25-8.8                   | Steel                       |
| 57              | 10023665          |                           | 6kt skr m/fl M8x40 DIN6921 8.8               | Hex Fl Bolt DIN6921-M8x40-8.8                   | Steel                       |
| 58              | 10038419          |                           | Høydejusteringsskrue M8x30                   | Hight Adjustment Screw M8x30                    | Steel                       |
| 59              |                   |                           |                                              |                                                 |                             |
| 60              | 10023680          |                           | Skrue platesekskant flens 4,2x13 DIN 6928    | Tapping Screw 4,2x13 DIN 6928                   | Steel                       |
| 61              | 10023588          |                           | Skrue sylh innv6k DIN 912 M6x12              | Hex Socket Head Cap Screw DIN 912 M6x12         | Steel                       |
| 62              | 10023559          |                           | Skive Ø8,4xØ20x1,5 St 8,8 Elzn               | Washer Ø8,4xØ20x1,5 St 8,8 Elzn                 | Steel                       |
|                 |                   |                           |                                              |                                                 |                             |
| 65              | 10025214          |                           | Pakn for sideglass/brennplate Ø6,4 m/lim     | Gasket for side glas Ø6,4 with glue             | LD 250-2 graph Ø6,4x1120mm  |
| 66              | 10025214          |                           | Pakn for bunndeksel Ø6,4 m/lim               | Gasket for bottom cover Ø6,4 w/glue             | LD 250-2 graph Ø6,4x1000mm  |
| 67              | 10025214          |                           | Pakn for røykkloke Ø6,4 m/lim                | Gasket for flue outlet cover Ø6,4 w/glue        | LD 250-2 graph Ø6,4x2400mm  |
| 68              | 10025214          |                           | Pakn for luftkanal høyre Ø6,4 m/lim          | Gasket for air channel right Ø6,4x w/glue       | LD 250-2 graph Ø6,4x920mm   |
| 69              | 10025214          |                           | Pakn for luftkanal venstre Ø6,4 m/lim        | Gasket for air channel left Ø6,4 w/glue         | LD 250-2 graph Ø6,4x920mm   |
| 70              | 10025214          |                           | Pakning for glass Ø6,4 m/lim                 | Gasket for glas Ø6,4 with glue                  | LD 250-2 graph Ø6,4x2440mm  |
| 71              | 10025181          |                           | Pakn snor for dør Ø9,5mm                     | Gasket for door Ø9,5mm                          | LD-375 graph Ø9,5x1900mm    |
| 72              | 10025214          |                           | Pakn for bakplate Ø6,4 m/lim                 | Gasket for back plate Ø6,4 w/glue               | LD 250-2 graph Ø6,4x1250mm  |
| 73              | 10025214          |                           | Pakn for bakdeksel Ø6,4 m/lim                | Gasket for rear cover Ø6,4 w/glue               | LD 250-2 graph Ø6,4x400mm   |
| 130             | 12047292          |                           | Ventildeksel Innv. MK2                       | Valve Cover Int. MK2                            | Cast Iron min 4mm thickness |
| 131             | 12047251          |                           | Bunnplate MK2 Pre. Feb. 2018 Utgått          | Bottom Plate MK2 Pre. Feb 2018 discontinued     | Cast Iron min 4mm thickness |
| 131             | 12052981          |                           | BUNNPLATE MED KLIPS I520 MK2 Ny Feb. 2018    | Bottom Plate with clip MK2 New. Feb 2018        | Cast Iron min 4mm thickness |
| 132             | 12047291          |                           | Bunndeksel MK2                               | Bottom Cover MK2                                | Cast Iron min 4mm thickness |
| 134             | 10047777          |                           | Ventil primær kompl MK2                      | Valve Assembly Primary MK2                      | Steel                       |
| 135             | 10047776          |                           | Ventil oppten. kompl MK2                     | Valve Assembly Ignite MK2                       | Steel                       |
| 136             | 10047202          |                           | Ventilfjær                                   | Valve Spring                                    | Steel                       |
| 137             | 10025214          |                           | Pakn for bunndeksel Ø6,4 m/lim               | Gasket for Bottom Cover Ø6,4 w/glue             | LD 250-2 graph Ø6,4x1230mm  |
| 138             | 10025214          |                           | Pakn for ventildeksel Ø6,4 m/lim             | Gasket for Valve Cover Ø6,4 w/glue              | LD 250-2 graph Ø6,4x1380mm  |
| 139             | 10048199          |                           | Isolasjonsmatte fyrbunn mittstykke           | Insulation Mid Blanket Base Plate               | Superwool                   |
| 140             | 10048198          |                           | Isolasjonsmatte fyrbunn side                 | Insulation Blanket Base Plate Side              | Superwool                   |
| 141             | 10023599          |                           | Skrue sylh innv6k-DIN912- M8x12-8.8          | Hex Socket Head Cap Screw- DIN912- M8x12-8.8    | Steel                       |
| 142             | 10023661          |                           | 6kt skr m/fl - DIN6921-M8x16-8.8             | Hex FL Bolt DIN6921 M8x16-8.8                   | Steel                       |
| 143             | 10048606          |                           | Skrue sylh innv6kLavH-DIN7984- M4x6 -8.8     | Hex Soket Head Cap Screw DIN7984-M4x6-8.8       | Steel                       |
|                 |                   |                           |                                              |                                                 |                             |
|                 |                   |                           |                                              |                                                 |                             |
|                 |                   |                           |                                              |                                                 |                             |
|                 |                   |                           |                                              |                                                 |                             |
|                 |                   |                           | <b>for Jøtul I 520 F BP cat no 30044743:</b> |                                                 |                             |
|                 |                   |                           |                                              |                                                 |                             |
| 6               | 12044956          |                           | Lokk side                                    | Lid side                                        | Cast Iron min 4mm thickness |
| 10              | 12044961          |                           | Brennplate høyre                             | Burn plate right                                | Cast Iron min 4mm thickness |

# Jøtul I 520 konseptet

**Jøtul I 520 F BP cat no 30044743, Jøtul I 520 FL BP cat no 30044744, Jøtul I 520 FR BP cat no 30044745, Jøtul I 520 FRL BP cat no 30044746**  
**BP= Sort lakk/Black Paint**

| <i>Pos. no.</i> | <i>Spareparts</i> | <i>Consist of pos.no:</i> | <i>Benevnelse</i>                              | <i>Description</i>             | <i>Dim./Spec.</i>           |
|-----------------|-------------------|---------------------------|------------------------------------------------|--------------------------------|-----------------------------|
| 11              | 12044962          |                           | Brennplate venstre                             | Burn plate left                | Cast Iron min 4mm thickness |
| 21              | 12044978          |                           | Ramme front H/V                                | Frame front R/L                | Cast Iron min 4mm thickness |
| 32              | 10038450          |                           | Skjermplate høyre                              | Heatshield right               | Aluzinc DX51D AZ            |
| 33              | 10038451          |                           | Skjermplate venstre                            | Heatshield left                | Aluzinc DX51D AZ            |
| 47              | 10038562          |                           | Isolasjonsmatte side                           | Insulation blanket side        | Superwool                   |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           | <b>for Jøtul I 520 FL BP cat no 30044744:</b>  |                                |                             |
|                 |                   |                           |                                                |                                |                             |
| 6               | 12044956          |                           | Lokk side                                      | Lid side                       | Cast Iron min 4mm thickness |
| 10              | 12044961          |                           | Brennplate høyre                               | Burn plate right               | Cast Iron min 4mm thickness |
| 25              | 12044979          |                           | Ramme side H/V                                 | Frame side R/L                 | Cast Iron min 4mm thickness |
| 32              | 10038450          |                           | Skjermplate høyre                              | Heatshield right               | Aluzinc DX51D AZ            |
| 47              | 10038562          |                           | Isolasjonsmatte side                           | Insulation blanket side        | Superwool                   |
| 48              | 10038464          |                           | Glass side                                     | Glass side                     | Ceramic glass 4mm           |
| 59              | 10023650          |                           | Skrue sett M6x50 DIN 916                       | Socket Set Screw M6x50 DIN 916 | Steel                       |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           | <b>for Jøtul I 520 FR BP cat no 30044745:</b>  |                                |                             |
|                 |                   |                           |                                                |                                |                             |
| 6               | 12044956          |                           | Lokk side                                      | Lid side                       | Cast Iron min 4mm thickness |
| 11              | 12044962          |                           | Brennplate venstre                             | Burn plate left                | Cast Iron min 4mm thickness |
| 25              | 12044979          |                           | Ramme side H/V                                 | Frame side R/L                 | Cast Iron min 4mm thickness |
| 33              | 10038451          |                           | Skjermplate venstre                            | Heatshield left                | Aluzinc DX51D AZ            |
| 47              | 10038562          |                           | Isolasjonsmatte side                           | Insulation blanket side        | Superwool                   |
| 48              | 10038464          |                           | Glass side                                     | Glass side                     | Ceramic glass 4mm           |
| 59              | 10023650          |                           | Skrue sett M6x50 DIN 916                       | Socket Set Screw M6x50 DIN 916 | Steel                       |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           | <b>for Jøtul I 520 FRL BP cat no 30044746:</b> |                                |                             |
|                 |                   |                           |                                                |                                |                             |
| 25              | 12044979          |                           | Ramme side H/V                                 | Frame side R/L                 | Cast Iron min 4mm thickness |
| 48              | 10038464          |                           | Glass side                                     | Glass side                     | Ceramic glass 4mm           |
| 59              | 10023650          |                           | Skrue sett M6x50 DIN 916                       | Socket Set Screw M6x50 DIN 916 | Steel                       |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           |                                                |                                |                             |
|                 |                   |                           | <b>Ekstra utstyr</b>                           | <b>Optionals</b>               |                             |
|                 |                   |                           |                                                |                                |                             |
| 100             | 51044759          | 111;112;113;114;115;56    | <b>Benstativ komplett</b>                      | <b>Rack complete</b>           |                             |
| 111             | 12044838          |                           | Benstativ topp                                 | Leg frame top                  | Cast Iron min 4mm thickness |
| 112             | 12016626          |                           | Ben                                            | Leg                            | Cast Iron min 4mm thickness |
| 113             | 12014969          |                           | Skjøtestykke for ben                           | Connector for leg              | Cast Iron min 4mm thickness |
| 114             | 10026167          |                           | Fotskrue                                       | Foot Screw                     | Steel                       |
| 115             | 10023667          |                           | 6kt mutter m/f M8 DIN6923 8                    | Hex flange nut M8 DIN6923 8    | Steel                       |
| 56              | 10023663          |                           | 6kt skr m/fl M8x25 DIN6921 8.8                 | Hex Fl Bolt DIN6921-M8x25-8.8  | Steel                       |
|                 |                   |                           |                                                |                                |                             |

# Jøtul I 520 konseptet

**Jøtul I 520 F BP cat no 30044743, Jøtul I 520 FL BP cat no 30044744, Jøtul I 520 FR BP cat no 30044745, Jøtul I 520 FRL BP cat no 30044746**  
**BP= Sort lakk/Black Paint**

| <b>Pos. no.</b> | <b>Spareparts</b> | <b>Consist of pos.no:</b> | <b>Benevnelse</b>                         | <b>Description</b>                         | <b>Dim./Spec.</b>  |
|-----------------|-------------------|---------------------------|-------------------------------------------|--------------------------------------------|--------------------|
| 101             | 50045755          |                           | <b>Konveksjonstopp komplett I520 F</b>    | <b>Convection top complete I520 F</b>      |                    |
|                 |                   |                           |                                           |                                            |                    |
| 125             | 10066627          |                           | Konveksjonstopp m/stuss                   | Convection top incl outlet                 | Aluzink DX 51 D+AS |
| 60              | 10023680          |                           | Skrue platesekskant flens 4,2x13 DIN 6928 | Tapping Screw 4,2x13 DIN 6928              | Steel              |
|                 |                   |                           |                                           |                                            |                    |
| 102             | 50045754          |                           | <b>Dørlås komplett høyrehengsel I520</b>  | <b>Door Lock Complete Right Hinge I520</b> |                    |
|                 |                   |                           |                                           |                                            |                    |
| 103             | 50051746          |                           | <b>Kassettrist I 520 FR/FL/F</b>          | <b>Cassette Grid I 520 FR/FL/F</b>         |                    |
|                 |                   |                           |                                           |                                            |                    |
| 106             | 50045750          | 122;123                   | <b>Ramme bred I520 F</b>                  | <b>Frame Wide I520 F</b>                   |                    |
|                 |                   |                           |                                           |                                            |                    |
| 107             | 50045751          | 122;123;124               | <b>Ramme bred I520 FL/FR</b>              | <b>Frame Wide I520 FL/FR</b>               |                    |
|                 |                   |                           |                                           |                                            |                    |
| 108             | 50045752          | 122;124                   | <b>Ramme bred I520 FRL</b>                | <b>Frame Wide I520 FRL</b>                 |                    |
|                 |                   |                           |                                           |                                            |                    |
| 121             |                   |                           | Skrue sylh innv6k DIN 912 M6x12           | Hex Socket Head Cap Screw DIN 912 M6x12    | Steel              |
| 122             |                   |                           | Ramme bred front                          | Frame Wide Front                           | Steel              |
| 123             |                   |                           | Ramme bred H/V                            | Frame Wide R/L                             | Steel              |
| 124             |                   |                           | Ramme bred side H/V                       | Frame Wide Side H/L                        | Steel              |