## Technical parameters for solid fuel local space heaters EU 2015/1186 of 24 April 2015

Model identifier(s): **Jøtul F 200 IT, F 205 IT** Indirect heating functionality: no

Direct heat output...(kW) 6,3

Indirect heat output...(kW): N.A

					Other suitable fuel(s):	Emissions from space heating at nom				
Fuel			fuel (only	PM		OGC CO		NOx		
				one):			(x) mg/Nm	1 <sup>3</sup> (13% O <sub>2</sub> )		
Wood logs with moisture content $\leq 25\%$				Yes	No	14	19	639	99	
Compressed wood w	vith moisture	content < 12	%	No	No					
Other woody biomass				No	No					
Non-woody biomass				No	No					
Anthracite and dry steam coal				No	No					
Hard coke				No	No					
Low temperature coke				No	No					
Bituminous coal				No	No					
Lignite briquettes				No	No					
Peat briquettes				No	No					
Blended fossil fuel briquettes				No	No					
Other fossil fuel				No	No					
Blended biomass and fossil fuel briquettes				No	No					
Other blend of biomass and solid fuel				No	No					
Characteristics w	han operat	ing with the	nrofo	red fuel						
	nen operat		prerer							
Seasonal space heat	ing energy ef	ficiency η <sub>s</sub> [%	]: 86,7							
Energy Efficiency Inc	dex (EEI): 115	,7								
Item	Symbol	Value			ltem		Va	Value		
Heat output				Useful	Useful efficiency (NCV as received)					
<b>.</b>	P <sub>nom</sub>	6,3		Useful e	Useful efficiency at nominal heat η <sub>th,nom</sub> output					
Nominal heat output			kW				8	86	%	
				output						
	P <sub>min</sub>	N.A.		Useful e	fficiency at					
Minimum heat output (indicative)			kW	minimu	minimum heat		N.A.		%	
				output (	indicative)					
Auxiliary electricity consumption				Type of	Type of heat output/room temperature control (select on					
At nominal heat	_			single stage heat		nut no room		· · ·		
output	el <sub>max</sub>	x,xxx	kW	-	emperature control			[yes/no]	Yes	
At minimum heat				· · ·	two or more manua			( )	No	
output	el <sub>min</sub>	x,xxx	kW		mperature c	-	yes/no]			
In standby mode				-	chanic therm					
····, ···,	el <sub>sb</sub>	x,xxx	kW		ture control		lyes	s/no]	No	
		•			ctronic room		re ,	1	••	
				control			lyes	s/no]	No	
				with ele	ctronic room	temperatu	re ,	/ 1	No	
				control	control plus day timer with electronic room temperature			[yes/no]		
				with ele				[yes/no]		
				control	olus week tin	ner	lyes	,/noj	No	
				Other c	ontrol optio	ns (multipl	e selectior	ns possible	)	
					mperature c			-	-	
					presence detection			s/no]	No	
					mperature c	ontrol, with	,	/		
					ndow detect		lyes	s/no]	No	
					tance contro		[yes	s/no]	No	
Dormanant silet	flama navv	or roquirors	ont	Sign:	-	•	., 50	<u>· · ·  </u>		
Permanent pilot	name powe	er requirem	ent		$\sum$	,	1			
Pilot flame power					C z	pa t	lunse	en		
requirement (if	P <sub>pilot</sub>	N.A.	kW			Auensen,				
applicable)					csper	i Auensen,	, המט ווופו	nagei		
<b>6</b> 1 1 1 1 1	I				<u> </u>	4 6 6 6 -				
Contact details	Name and	address of th	ne suppli	ier: Jøtul AS, P	.U. box 1411	., 1602 Fred	irikstad, N	orway		
	1									